Nuclear Engineering and Design 144 (1993) 527–529
North-Holland

Author Index to Volume 144

Aaltonen, P., R. Rintamaa, H. Hänninen, U. Ehrnstén and E. Arilahti, Cyclic crack growth evaluation of a 20MnMoNi55 piping steel in high-oxygen reactor water 144 (1993) 111
Afrov, A.M., see Silin, V.A. 144 (1993) 327
Akebi, M., see Mita, S. 144 (1993) 283
Alamgir, Md., see Shiralkar, B.S. 144 (1993) 213
Ambroz, J., see Hejzlar, P. 144 (1993) 469
Andersen, J.G.M., see Shiralkar, B.S. 144 (1993) 213
Arilahti, E., see Aaltonen, P. 144 (1993) 111
Asano, M., see Fukakura, J. 144 (1993) 423

Bartonicek, J., W. Zaiss, F. Schöckle, D. Blind, H. Kockelmann and W. Hienstorfer, Fatigue assessment of power plant components and monitoring during operation 144 (1993) 123
Berger, C., see Mayer, K.H. 144 (1993) 155
Blauel, J.G., see Nagel, G. 144 (1993) 45
Blind, D., see Bartonicek, J. 144 (1993) 123
Bloom, E.A., see Light, G.M. 144 (1993) 465
Bocquet, P., P. Bourges and A. Cheviet, Properties of heavy components of steel grade 91 and their welds 144 (1993) 149
Bonora, N., see Milella, P.P. 144 (1993) 1
Bourges, P., see Bocquet, P. 144 (1993) 149

Chao, C.K. and C.C. Tseng, Study on optimum zirconium liner thickness for barrier fuel 144 (1993) 509
Chapman, T.L., S. Ranganath and G.L. Stevens, Application of advanced ultrasonic test techniques coupled with fatigue and leakage monitoring to assure integrity of BWR feedwater nozzles 144 (1993) 389
Charalambus, B. and M. Labes, Structural integrity of whipping pipes following a postulated circumferential break – a contribution to determining strain levels acceptable under faulted conditions 144 (1993) 91
Cheadle, B.A., see Dutton, R. 144 (1993) 269
Cheviet, A., see Bocquet, P. 144 (1993) 149
Coleman, C.E., see Dutton, R. 144 (1993) 269

Darlaston, B.J., see Olson, R.J. 144 (1993) 77
Deimel, P. and E. Sattler, Relation between size and density of nonmetallic inclusions and the *J*-integral at crack initiation 144 (1993) 9
De Keyser, V., see Masson, M. 144 (1993) 361
Dillmann, C.W., see Omoto, A. 144 (1993) 205
Dutton, R., E.O. Moeck, N.J. Spinks, C.E. Coleman, B.A. Cheadle, A.D. Lane, A.I. Miller, R.A. Judd and L.R. Lupton, Advanced technologies for CANDU reactors 144 (1993) 269

Ehrnstén, U., see Aaltonen, P. 144 (1993) 111
Enomoto, K., see Mochizuki, M. 144 (1993) 439
Erve, M. and E. Tenckhoff, Residual life assessment, technical improvements and backfitting of components and systems from the materials standpoint 144 (1993) 139
Eto, M., see Muto, Y. 144 (1993) 305

Fukakura, J., M. Asano, M. Kikuchi and M. Ishikawa, Effect of thermal aging on fracture toughness of RPV steel 144 (1993) 423
Fumizawa, M., see Hishida, M. 144 (1993) 317
Furuta, K., A constraint-based approach to intelligent support of nuclear reactor design 144 (1993) 353

Gnirss, G., see Mayer, K.H. 144 (1993) 155
Golembiewski, H.-J. and M. Miksch, Fatigue monitoring in German nuclear power plants 144 (1993) 409
Grebner, H., A. Höfler and H. Hunger, Calculation of leakage areas and leak rates for wall penetrating cracks in pipes loaded with internal pressure and bending moment 144 (1993) 101
Griesbach, T.J., see Smith, E. 144 (1993) 23

Hänninen, H., see Aaltonen, P. 144 (1993) 111
Hayashi, E., see Mochizuki, M. 144 (1993) 439
Heinrich, D., see Mayer, K.H. 144 (1993) 155
Hejzlar, P., O. Ubra and J. Ambroz, A computer program for transient analysis of steam turbine generator overspeed 144 (1993) 469
Hienstorfer, W., see Bartonicek, J. 144 (1993) 123
Hishida, M., M. Fumizawa, T. Takeda, M. Ogawa and S. Takenaka, Researches on air ingress accidents of the HTTR 144 (1993) 317
Höfler, A., see Grebner, H. 144 (1993) 101
Hollnagel, E., Requirements for dynamic modelling of man–machine interaction 144 (1993) 375

Hosemann, B., see Laue, H. 144 (1993) 399
Housiaux, A., see Masson, M. 144 (1993) 361
Huber, H., see Stumpfrock, L. 144 (1993) 31
Hunger, H., see Grebner, H. 144 (1993) 101

Imai, S., see Tasaka, K. 144 (1993) 345
Ishikawa, M., see Fukakura, J. 144 (1993) 423

Jevremovic, T., Y. Oka and S. Koshizuka, Design of an indirect-cycle fast breeder reactor cooled by supercritical steam 144 (1993) 337
Joch, J., see Zdarek, J. 144 (1993) 69
Joshi, N.R., see Light, G.M. 144 (1993) 465
Judd, R.A., see Dutton, R. 144 (1993) 269

Kai, J.J., C.H. Tsai and G.P. Yu, The IGSCC, sensitization, and microstructure study of Alloys 600 and 690 144 (1993) 449
Kashiwai, S., see Yokomizo, O. 144 (1993) 223
Kato, T., see Makihara, Y. 144 (1993) 247
Keller, H.P., see Oppermann, W. 144 (1993) 171
Kikuchi, M., see Fukakura, J. 144 (1993) 423
Kockelmann, H., see Bartonicek, J. 144 (1993) 123
Koike, M.H., see Mochizuki, H. 144 (1993) 293
Kondo, T., see Mita, S. 144 (1993) 283
Koshizuka, S., see Jevremovic, T. 144 (1993) 337
Kukita, Y., see Kumamaru, H. 144 (1993) 257
Kukita, Y., see Tasaka, K. 144 (1993) 345
Kumamaru, H. and Y. Kukita, Critical heat flux and heat transfer above mixture level under high-pressure boil-off conditions in PWR type and tight-lattice type fuel bundles 144 (1993) 257

Labes, M., see Charalambus, B. 144 (1993) 91
Lane, A.D., see Dutton, R. 144 (1993) 269
Laue, H., F. Morgenstern, F. Rohdenburg and B. Hosemann, Role and demonstration of structural integrity of LMFBR structures within the frame of the safety assessment process 144 (1993) 399
Lee, S., see Wichman, K. 144 (1993) 459
Light, G.M., E.H. Ruescher, E.A. Bloom, N.R. Joshi, Y.M. Tsai and S.-N. Liu, Application of the cylindrically guided wave technique for bolt and pump shaft inspections 144 (1993) 465
Lin, M.-H., see Yang, I.-J. 144 (1993) 431
Lis, Z. and A. Litewka, Theoretical model of creep fracture under tri-axial state of stress 144 (1993) 497
Litewka, A., see Lis, Z. 144 (1993) 497
Liu, S.-N., see Light, G.M. 144 (1993) 465
Lupton, L.R., see Dutton, R. 144 (1993) 269

Makihara, Y., T. Sugizaki, Y. Nakahara, K. Okabe, T. Kato, T. Matsuoka and K. Tabuchi, Study of the PWR hybrid safety system 144 (1993) 247
Malaise, N., see Masson, M. 144 (1993) 361
Marchetti, M., see Milella, P.P. 144 (1993) 1
Maricchiolo, C., see Milella, P.P. 144 (1993) 1
Masaoka, H., see Tasaka, K. 144 (1993) 345
Masson, M., N. Malaise, A. Housiaux and V. De Keyser, Organizational change and human expertise in nuclear power plants: some implications for training and error prevention 144 (1993) 361
Matsuoka, T., see Makihara, Y. 144 (1993) 247
Mayer, K.H., C. Berger, G. Gnirss, D. Heinrich and W. Prestel, Investigations by non-destructive inspection to determine the size of natural defects in large forgings of turbogenerators 144 (1993) 155
Mayfield, M.E., see Olson, R.J. 144 (1993) 77
Miksch, M., see Golembiewski, H.-J. 144 (1993) 409
Milella, P.P., C. Maricchiolo, A. Pini, N. Bonora and M. Marchetti, Cleavage fracture prediction and K_{Ic} assessment of a nuclear pressure vessel carbon steel using local approach criteria 144 (1993) 1
Miller, A.I., see Dutton, R. 144 (1993) 269
Mita, S., M. Akebi, O. Sawamura and T. Kondo, Development of the Advanced Thermal Reactor in Japan 144 (1993) 283
Mochida, T., see Yokomizo, O. 144 (1993) 223
Mochizuki, H., M.H. Koike and T. Sakai, Core coolability of an ATR by heavy water moderator in situations beyond design basis accidents 144 (1993) 293
Mochizuki, M., K. Enomoto, N. Okamoto, H. Saito and E. Hayashi, Welding residual stresses at the intersection of a small diameter pipe penetrating a thick plate 144 (1993) 439
Moeck, E.O., see Dutton, R. 144 (1993) 269
Mohr, F., see von Bernus, L. 144 (1993) 177
Morgenstern, F., see Laue, H. 144 (1993) 399
Moriya, K., see Omoto, A. 144 (1993) 205
Muto, Y., H. Nakajima and M. Eto, Development of high temperature structural materials for the HTGR 144 (1993) 305

Nagel, G., J.G. Blauel and W. Schmitt, A multibarrier safety concept for the reactor pressure vessel of the Stade Nuclear Power Plant 144 (1993) 45
Nakahara, Y., see Makihara, Y. 144 (1993) 247
Nakajima, H., see Muto, Y. 144 (1993) 305
Nishida, K., see Yokomizo, O. 144 (1993) 223

Ogawa, M., see Hishida, M. 144 (1993) 317
Oka, Y., see Jevremovic, T. 144 (1993) 337
Okabe, K., see Makihara, Y. 144 (1993) 247
Okamoto, N., see Mochizuki, M. 144 (1993) 439
Olson, R.J., B.J. Darlaston, M.E. Mayfield and R.A. Schmidt, The IPIRG dynamic pipe loop test facility 144 (1993) 77
Omoto, A., A. Tanabe, K. Moriya and C.W. Dillmann, ABWR evolution program 144 (1993) 205
Oppermann, W. and H.P. Keller, An improved potential drop method for measuring and monitoring defects in metallic structures 144 (1993) 171
Orii, A., see Yokomizo, O. 144 (1993) 223

Pecinka, L., see Zdarek, J. 144 (1993) 69
Pini, A., see Milella, P.P. 144 (1993) 1
Prestel, W., see Mayer, K.H. 144 (1993) 155

Quéniart, D., Safety of future reactors in France 144 (1993) 237

Ranganath, S., see Chapman, T.L. 144 (1993) 389
Rintamaa, R., see Aaltonen, P. 144 (1993) 111
Robert, M., Comments on the paper "Thermal stratification and reactor piping integrity, J.H. Kim, R.M. Roidt and A.F. Deardorff," published in Nucl. Engrg. Des. 139 (1993) 83–95 144 (1993) 517
Rohdenburg, F., see Laue, H. 144 (1993) 399
Roos, E., see Stumpfrock, L. 144 (1993) 31
Rosenfield, A.R., Suggested toughness/temperature relations for reactor pressure vessel steels 144 (1993) 487
Ruescher, E.H., see Light, G.M. 144 (1993) 465

Saito, H., see Mochizuki, M. 144 (1993) 439
Sakai, T., see Mochizuki, H. 144 (1993) 293
Sattler, E., see Deimel, P. 144 (1993) 9
Sawamura, O., see Mita, S. 144 (1993) 283
Schmeidl, T., see von Bernus, L. 144 (1993) 177
Schmidt, R.A., see Olson, R.J. 144 (1993) 77
Schmitt, W., see Nagel, G. 144 (1993) 45
Schöckle, F., see Bartonicek, J. 144 (1993) 123
Shiralkar, B.S., Md. Alamgir and J.G.M. Andersen, Thermal hydraulic aspects of the SBWR design 144 (1993) 213
Silin, V.A., V.A. Voznesensky and A.M. Afrov, The Light Water Integral Reactor with natural circulation of the coolant at supercritical pressure B-500 SKDI 144 (1993) 327
Smith, E. and T.J. Griesbach, Quantifying the crack growth resistance of materials using J_R curves 144 (1993) 23
Spinks, N.J., see Dutton, R. 144 (1993) 269
Staat, M., Failure probabilities of the primary circuit pressure boundary of an HTR-Module for process heat generation under accident conditions for different failure modes 144 (1993) 53
Stevens, G.L., see Chapman, T.L. 144 (1993) 389
Stumpfrock, L., E. Roos, H. Huber and U. Weber, Fracture mechanics investigations on cylindrical large scale specimens under thermal shock loading 144 (1993) 31
Sugizaki, T., see Makihara, Y. 144 (1993) 247

Tabuchi, K., see Makihara, Y. 144 (1993) 247
Takeda, T., see Hishida, M. 144 (1993) 317
Takenaka, S., see Hishida, M. 144 (1993) 317
Tamaki, M., see Tasaka, K. 144 (1993) 345
Tanabe, A., see Omoto, A. 144 (1993) 205
Tasaka, K., S. Imai, H. Masaoka, M. Tamaki and Y. Kukita, Feedback control of a primary pump for safe and stable operation of a PIUS-type reactor 144 (1993) 345
Tenckhoff, E., see Erve, M. 144 (1993) 139
Tsai, C.H., see Kai, J.J. 144 (1993) 449
Tsai, Y.M., see Light, G.M. 144 (1993) 465
Tseng, C.C., see Chao, C.K. 144 (1993) 509

Ubra, O., see Hejzlar, P. 144 (1993) 469

von Bernus, L., F. Mohr and T. Schmeidl, Sizing and characterization of ultrasonic indications using imaging techniques 144 (1993) 177
Voznesensky, V.A., see Silin, V.A. 144 (1993) 327

Weber, U., see Stumpfrock, L. 144 (1993) 31
Wichman, K. and S. Lee, Temporary noncode repair of ASME Code Class 3 piping 144 (1993) 459

Yamashita, J., see Yokomizo, O. 144 (1993) 223
Yang, I.-J. and M.-H. Lin, Failure analysis following decontamination – laboratory and case studies 144 (1993) 431
Yokomizo, O., S. Kashiwai, K. Nishida, A. Orii, J. Yamashita and T. Mochida, Spectral shift rod for the Boiling Water Reactor 144 (1993) 223
Yu, G.P., see Kai, J.J. 144 (1993) 449

Zaiss, W., see Bartonicek, J. 144 (1993) 123
Zdarek, J., L. Pecinka and J. Joch, LBB technology application to the primary piping system of the NPP V1 Jaslovske Bohunice 144 (1993) 69

Nuclear Engineering and Design 144 (1993) 531–533
North-Holland

Subject Index to Volume 144

Thermal and fluid design

Thermal hydraulic aspects of the SBWR design, B.S. Shiralkar, Md. Alamgir and J.G.M. Andersen 144 (1993) 213
Critical heat flux and heat transfer above mixture level under high-pressure boil-off conditions in PWR type and tight-lattice type fuel bundles, H. Kumamaru and Y. Kukita 144 (1993) 257
Advanced technologies for CANDU reactors, R. Dutton, E.O. Moeck, N.J. Spinks, C.E. Coleman, B.A. Cheadle, A.D. Lane, A.I. Miller, R.A. Judd and L.R. Lupton 144 (1993) 269

Engineering mechanics

Relation between size and density of non-metallic inclusions and the *J*-integral at crack initiation, P. Deimel and E. Sattler 144 (1993) 9
The IPIRG dynamic pipe loop test facility, R.J. Olson, B.J. Darlaston, M.E. Mayfield and R.A. Schmidt 144 (1993) 77
Structural integrity of whipping pipes following a postulated circumferential break – a contribution to determining strain levels acceptable under faulted conditions, B. Charalambus and M. Labes 144 (1993) 91
Calculation of leakage areas and leak rates for wall penetrating cracks in pipes loaded with internal pressure and bending moment, H. Grebner, A. Höfler and H. Hunger 144 (1993) 101
Cyclic crack growth evaluation of a 20MnMoNi55 piping steel in high-oxygen reactor water, P. Aaltonen, R. Rintamaa, H. Hänninen, U. Ehrnstén and E. Arilahti 144 (1993) 111
Investigations by non-destructive inspection to determine the size of natural defects in large forgings of turbogenerators, K.H. Mayer, C. Berger, G. Gnirss, D. Heinrich and W. Prestel 144 (1993) 155
Welding residual stresses at the intersection of a small diameter pipe penetrating a thick plate, M. Mochizuki, K. Enomoto, N. Okamoto, H. Saito and E. Hayashi 144 (1993) 439
Theoretical model of creep fracture under tri-axial state of stress, Z. Lis and A. Litewka 144 (1993) 497

Materials properties

Cleavage fracture prediction and K_{Ic} assessment of a nuclear pressure vessel carbon steel using local approach criteria, P.P. Milella, C. Maricchiolo, A. Pini, N. Bonora and M. Marchetti 144 (1993) 1
Relation between size and density of non-metallic inclusions and the *J*-integral at crack initiation, P. Deimel and E. Sattler 144 (1993) 9
Quantifying the crack growth resistance of materials using J_R curves, E. Smith and T.J. Griesbach 144 (1993) 23
Fracture mechanics investigations on cylindrical large scale specimens under thermal shock loading, L. Stumpfrock, E. Roos, H. Huber and U. Weber 144 (1993) 31
Cyclic crack growth evaluation of a 20MnMoNi55 piping steel in high-oxygen reactor water, P. Aaltonen, R. Rintamaa, H. Hänninen, U. Ehrnstén and E. Arilahti 144 (1993) 111
Properties of heavy components of steel grade 91 and their welds, P. Bocquet, P. Bourges and A. Cheviet 144 (1993) 149
Development of high temperature structural materials for the HTGR, Y. Muto, H. Nakajima and M. Eto 144 (1993) 305
Effect of thermal aging on fracture toughness of RPV steel, J. Fukakura, M. Asano, M. Kikuchi and M. Ishikawa 144 (1993) 423
Failure analysis following decontamination – laboratory and case studies, I.-J. Yang and M.-H. Lin 144 (1993) 431
The IGSCC, sensitization, and microstructure study of Alloys 600 and 690, J.J. Kai, C.H. Tsai and G.P. Yu 144 (1993) 449
Suggested toughness/temperature relations for reactor pressure vessel steels, A.R. Rosenfield 144 (1993) 487

Mechanical design, component fabrication and testing

Fracture mechanics investigations on cylindrical large scale specimens under thermal shock loading, L. Stumpfrock, E. Roos, H. Huber and U. Weber 144 (1993) 31
A multibarrier safety concept for the reactor pressure vessel of the Stade Nuclear Power Plant, G. Nagel, J.G. Blauel and W. Schmitt 144 (1993) 45
LBB technology application to the primary piping system of the NPP V1 Jaslovske Bohunice, J. Zdarek, L. Pecinka and J. Joch 144 (1993) 69
The IPIRG dynamic pipe loop test facility, R.J. Olson, B.J. Darlaston, M.E. Mayfield and R.A. Schmidt 144 (1993) 77
Structural integrity of whipping pipes following a postulated circumferential break – a contribution to determining strain levels acceptable under faulted conditions, B. Charalambus and M. Labes 144 (1993) 91
Fatigue assessment of power plant components and monitoring during operation, J. Bartonicek, W. Zaiss, F. Schöckle, D. Blind, H. Kockelmann and W. Hienstorfer 144 (1993) 123
Investigations by non-destructive inspection to determine the size of natural defects in large forgings of turbogenerators, K.H. Mayer, C. Berger, G. Gnirss, D. Heinrich and W. Prestel 144 (1993) 155
An improved potential drop method for measuring and monitoring defects in metallic structures, W. Oppermann and H.P. Keller 144 (1993) 171
Sizing and characterization of ultrasonic indications using imaging techniques, L. von Bernus, F. Mohr and T. Schmeidl 144 (1993) 177
Researches on air ingress accidents of the HTTR, M. Hishida, M. Fumizawa, T. Takeda, M. Ogawa and S. Takenaka 144 (1993) 317
Feedback control of a primary pump for safe and stable operation of a PIUS-type reactor, K. Tasaka, S. Imai, H. Masaoka, M. Tamaki and Y. Kukita 144 (1993) 345
Application of advanced ultrasonic test techniques coupled with fatigue and leakage monitoring to assure integrity of BWR feedwater nozzles, T.L. Chapman, S. Ranganath and G.L. Stevens 144 (1993) 389
Application of the cylindrically guided wave technique for bolt and pump shaft inspections, G.M. Light, E.H. Ruescher, E.A. Bloom, N.R. Joshi, Y.M. Tsai and S.-N. Liu 144 (1993) 465
A computer program for transient analysis of steam turbine generator overspeed, P. Hejzlar, O. Ubra and J. Ambroz 144 (1993) 469

Reactor concepts and systems analysis

Failure probabilities of the primary circuit pressure boundary of an HTR-Module for process heat generation under accident conditions for different failure modes, M. Staat 144 (1993) 53
Calculation of leakage areas and leak rates for wall penetrating cracks in pipes loaded with internal pressure and bending moment, H. Grebner, A. Höfler and H. Hunger 144 (1993) 101
Residual life assessment, technical improvements and backfitting of components and systems from the materials standpoint, M. Erve and E. Tenckhoff 144 (1993) 139
Thermal hydraulic aspects of the SBWR design, B.S. Shiralkar, Md. Alamgir and J.G.M. Andersen 144 (1993) 213
Spectral shift rod for the Boiling Water Reactor, O. Yokomizo, S. Kashiwai, K. Nishida, A. Orii, J. Yamashita and T. Mochida 144 (1993) 223
Study of the PWR hybrid safety system, Y. Makihara, T. Sugizaki, Y. Nakahara, K. Okabe, T. Kato, T. Matsuoka and K. Tabuchi 144 (1993) 247
Advanced technologies for CANDU reactors, R. Dutton, E.O. Moeck, N.J. Spinks, C.E. Coleman, B.A. Cheadle, A.D. Lane, A.I. Miller, R.A. Judd and L.R. Lupton 144 (1993) 269
Core coolability of an ATR by heavy water moderator in situations beyond design basis accidents, H. Mochizuki, M.H. Koike and T. Sakai 144 (1993) 293
Researches on air ingress accidents of the HTTR, M. Hishida, M. Fumizawa, T. Takeda, M. Ogawa and S. Takenaka 144 (1993) 317
Role and demonstration of structural integrity of LMFBR structures within the frame of the safety assessment process, H. Laue, F. Morgenstern, F. Rohdenburg and B. Hosemann 144 (1993) 399
Fatigue monitoring in German nuclear power plants, H.-J. Golembiewski and M. Miksch 144 (1993) 409

Safeguard engineering

Safety of future reactors in France, D. Quéniart 144 (1993) 237
Application of advanced ultrasonic test techniques coupled with fatigue and leakage

monitoring to assure integrity of BWR feedwater nozzles, T.L. Chapman, S. Ranganath and G.L. Stevens 144 (1993) 389
Temporary non-code repair of ASME Code Class 3 piping, K. Wichman and S. Lee 144 (1993) 459
Application of the cylindrically guided wave technique for bolt and pump shaft inspections, G.M. Light, E.H. Ruescher, E.A. Bloom, N.R. Joshi, Y.M. Tsai and S.-N. Liu 144 (1993) 465

Layout of nuclear facilities

ABWR evolution program, A. Omoto, A. Tanabe, K. Moriya and C.W. Dillmann 144 (1993) 205
Safety of future reactors in France, D. Quéniart 144 (1993) 237
Study of the PWR hybrid safety system, Y. Makihara, T. Sugizaki, Y. Nakahara, K. Okabe, T. Kato, T. Matsuoka and K. Tabuchi 144 (1993) 247
Development of the Advanced Thermal Reactor in Japan, S. Mita, M. Akebi, O. Sawamura and T. Kondo 144 (1993) 283
The Light Water Integral Reactor with natural circulation of the coolant at supercritical pressure B-500 SKDI, V.A. Silin, V.A. Voznesensky and A.M. Afrov 144 (1993) 327
Design of an indirect-cycle fast breeder reactor cooled by supercritical steam, T. Jevremovic, Y. Oka and S. Koshizuka 144 (1993) 337
A constraint-based approach to intelligent support of nuclear reactor design, K. Furuta 144 (1993) 353

Discussion

Comments on the paper "Thermal stratification and reactor piping integrity, J.H. Kim, R.M. Roidt and A.F. Deardorff," published in Nucl. Engrg. Des. 139 (1993) 83–95, M. Robert 144 (1993) 517

Core physics and fuel design

Critical heat flux and heat transfer above mixture level under high-pressure boil-off conditions in PWR type and tight-lattice type fuel bundles, H. Kumamaru and Y. Kukita 144 (1993) 257
Development of the Advanced Thermal Reactor in Japan, S. Mita, M. Akebi, O. Sawamura and T. Kondo 144 (1993) 283
Core coolability of an ATR by heavy water moderator in situations beyond design basis accidents, H. Mochizuki, M.H. Koike and T. Sakai 144 (1993) 293
Study on optimum zirconium liner thickness for barrier fuel, C.K. Chao and C.C. Tseng 144 (1993) 509

Nuclear safety

A multibarrier safety concept for the reactor pressure vessel of the Stade Nuclear Power Plant, G. Nagel, J.G. Blauel and W. Schmitt 144 (1993) 45
Residual life assessment, technical improvements and backfitting of components and systems from the materials standpoint, M. Erve and E. Tenckhoff 144 (1993) 139
Safety of future reactors in France, D. Quéniart 144 (1993) 237
Organizational change and human expertise in nuclear power plants: some implications for training and error prevention, M. Masson, N. Malaise, A. Housiaux and V. De Keyser 144 (1993) 361
Requirements for dynamic modelling of man–machine interaction, E. Hollnagel 144 (1993) 375
Fatigue monitoring in German nuclear power plants, H.-J. Golembiewski and M. Miksch 144 (1993) 409